




# A WORLD-KNOWN PRODUCER OF HIGH QUALITY WAREHOUSE EQUIPMENT

We offer a unique combination of low prices  
and excellent quality





# ABOUT US



Our company is one of the famous manufacturers of mobile loading equipment in EU

COUNTRIES WHERE OUR DEALERS ARE REPRESENTED



# OUR ACHIEVEMENTS


**ramplo**



**17 years of experience** in the production of loading equipment



the range of our equipment includes even **more than 20 types of warehouse equipment** and forklift attachments



supplied equipment to more than **35 countries** worldwide



we **provide a solution** to any challenge of your customer and that's what makes us unique



more than **1000 satisfied clients** over the world and this is just the beginning!



**471 special designed** products sold



own modern **factory**



produced **over 1120** items

## OUR MAIN GOAL

**to make our client happy with the successful completion of his project!**

# OUR PRODUCTS

ramplo

## Loading ramps



## Warehouse equipment



## Forklift attachments



# LOADING RAMPS


ramplo



Mobile ramps  
RL-MR



Mobile loading ramps  
RL-MREC



Mobile dock ramps  
RL-MRLX



Custom  
loading ramps



Fixed ramps  
without horizontal board



Fixed ramps  
with horizontal board



Dock access ramps  
(type "Warehouse-Ground")



Levelling ramps  
for LCV



Loading  
platforms



# LOADING RAMPS

ramplo

The loading ramps are manufacturing according to the latest innovative technology, with high-strength metal and comply with European and international CE quality standards



The safe design, in the form of a inclined platform that balances the difference between the ground / warehouse surface and the truck body, can be used on any loading area




**PROFITABLE INVESTMENT AND HUGE TIME AND MONEY SAVINGS  
WITHOUT MUCH EFFORT**

# MOBILE LOADING RAMPS

## STANDARD MODEL **RL-MR**

The mobile ramp is a height-adjustable equipment which allows the forklift to load and unload trucks, railway cars, containers, etc., acting as a mobile bridge.

This is the most popular type of mobile ramp on sale, the ramp is equipped with a manual hydraulic system for height adjustment and solid rubber wheels that allow the ramp to move on any ground surface.



### Features of the **RAMPLO** mobile ramps **RL-MR:**

- load capacity - from 6 to 12 tons and more;
- total length ( $L$ ) - from 9010 to 13010 mm and more;
- total width ( $D$ ) - from 2230 to 2350 mm and more;
- height level ( $N$ ) – from 890 mm to 1740 mm;
- wheel sets;
- hydraulic / electric pump.

**ramplo**



# ADDITIONAL OPTIONS\*

For mobile ramps

**ramplo**



**2SL**  
Safety legs



**HR**  
Additional handrails



**2SL3SW**  
3-sides unloading




**4WL**  
Additional pair  
of wheels



**EHP**  
Electrohydraulic  
station




**EHMP**  
Electrohydraulic station  
and manual pump



**SRS**  
Anti-skid grating



**ZRS**  
Zinc-coated grating



**ZSRS**  
Zinc-coated  
anti-skid grating



**TC**  
Tent cover



**CLR**  
Choosing a  
different color

\* additional options depend on the selected ramp model




# MOBILE LOADING RAMPS

## ECONOMY MODEL **RL-MREC**

As well as other types of mobile ramps, this one due to its small dimensions allows operate the ramp comfortable and easily, simplify and speed up logistics operations in warehouses for unloading and loading packaged goods for budget projects.

The ramp is equipped with telescopic legs for the height adjustment and with rollers for movement.



### Features of the **RAMPLO** mobile ramps **RL-MREC:**

- loading capacity – from 5 to 9 tons and more;
- total length (A+B+C+D) – from 8000 mm and more;
- carriageway width of the horizontal part (F1) – from 2010 mm and more;
- operating height (J) – 940-1340 mm.

**ramplo**




# MOBILE LOADING RAMPS

## LUXE MODEL **RL-MRLX**

The luxe model of the mobile loading ramp is equipped with a powerful hydraulic system with two cylinders and an eco-friendly metal oil tank. The roadway of the ramp is covered with a hot-dip galvanized anti-skid grating, which makes it safe to drive on the ramp in all weather conditions.

For moving the ramp, it is equipped with reliable wheels like in a forklift.



### Features of the **RAMPLO** mobile ramps **RL-MRLX:**

- load capacity – from 8 to 16 tons and more;
- total length (L) – from 9420 to 13420 mm and more;
- carriageway width (D) – from 2010 to 2510 mm and more;
- operating height (N-X) – 890-1740 mm.

### ADDITIONAL OPTIONS RL-MRLX:

**SL** – Safety supporting legs

**HR** – Protective removable handrails

**EHP** – Electric (220V) hydraulic power station with a control panel

**EHBP** – Electric (12V) hydraulic station with a battery pack

**TC** – Tent cover

**CLR** – Another color

**ramplo**



# CUSTOM LOADING RAMPS

ramplo

## FEATURES OF THE RAMPLO EQUIPMENT, WHICH CAN BE CHANGED UPON CUSTOMER'S REQUEST:

- ✓ load capacity – from 6 to 30 tones and more
- ✓ total length – in case of special needs up to 15 m and more
- ✓ overall width – up to 3000 mm and more
- ✓ height of protective fencing
- ✓ heights' level - min and max heights, the working range of hydraulics no more than 80 cm. For example, the minimum height is 750 mm, maximum (in this case) - 1550 mm
- ✓ option equipping with an electric system
- ✓ galvanized roadway with additional anti-slip properties
- ✓ color, additional marking
- ✓ mounted tent
- ✓ and other additional options per customer requests



Our products are not only standard models of equipment, we also produce individual orders / requests according to all customer requirements.

Based on our huge experience in production, our engineers and designers create loading equipment of any design and load capacity.



# ADDITIONAL OPTIONS\*

For custom loading ramps

**ramplo**



**2SL**  
Safety legs



**HR**  
Additional handrails



**HA**  
Height adjustment



**2SL3SW**  
3-sides unloading



**4WL**  
Additional pair of wheels



**EHP**  
Electrohydraulic station



**EHMP**  
Electrohydraulic station and manual pump




**DL**  
Inside dock leveller



**AB**  
Additional connection bridge



**BR2**  
Hydraulic folding bridge



**SRS**  
Anti-skid grating



**ZRS**  
Zinc-coated grating



**ZSRS**  
Zinc-coated anti-skid grating



**TC**  
Tent cover



**CLR**  
Choosing a different color



\* additional options depend on the selected ramp model



# FIXED LOADING RAMPS

**ramplo**

- The construction of fixed loading ramps are made entirely of metal.
- Instead of expanded metal sheets on the ramp's roadway we used steel grating, which allows to avoid holding rainfall / debris on the surface and save longevity of the ramp.
- Thanks to the frame, made of profile pipes, the ramp is light, and the load on the base is less, the ramp is easy to install.
- Fencing, along both sides of the ramp, serves as a bumper and prevent forklift driving beyond the ramp's side edges.
- Load is distributed between several support points.
- The strong 12 mm thick connection bridge.



## Features of The **RAMPLO** fixed ramps with horizontal platform **RL-FXH**:

- load capacity – from 6 to 10 tons and more;
- total length (L) – from 10770 to 12770 mm and more;
- total width (O) – from 2230 mm and more;
- horizontal board for the safe forklift movement.



## Features of The **RAMPLO** fixed ramps without horizontal platform **RL-FX**:


- load capacity from 6 to 10 tons and more;
- total length (L) – from 8270 to 12270 mm and more;
- total width (O) – from 2230 mm and more.




# FIXED LOADING RAMPS

**ramplo**

This is special designed truck ramp for loading and unloading commercial vehicles at standard dock gates of modern warehouse. Our equipment helps to eliminate difference in heights of commercial vehicles (550-650 mm) and height of dock gates, dedicated for big semi-trailers (1100-1200 mm).



The construction is designed to for driving forklifts, vans, cars and other transport inside and outside warehouse. Connects 0 ground level and height of warehouse (usually about 1200 mm).



## Features of the **RAMPLO** levelling ramps for LCV **RL-LCVR:**

- load capacity – from 5 to 8 tons and more;
- total length (IH) – from 11000 to 13000 mm and more;
- total width (O) – from 2450 to 6100 mm and more;
- height level (N) – from 550 to 650 mm and more.



## Features of the **RAMPLO** dock access ramps **RL-GD:**

- load capacity – from 6 to 10 tons and more;
- total length (IC) – from 6270 to 12270 mm and more;
- total width (O) – 2120 mm and more;
- height level (N) – from 1100 to 1200 mm and more.



# ADDITIONAL OPTIONS\*

For fixed loading ramps

ramplo



**HA1**

Height adjustment

FX FXH GD LCVR



**WL**

Pair of wheels

FX FXH GD LCVR



**HR**

Additional handrails

FX FXH GD LCVR



**LDP**

Ladder with platform

FX FXH GD LCVR



**LD**

Ladder to the ramp

FX FXH GD LCVR



**3SW**

3-sides unloading


FX FXH GD LCVR



**4WCH**

Wheel chocks

FX FXH GD LCVR



**SRS**

Anti-skid grating

FX FXH GD LCVR



**ZRS**

Zinc-coated grating


FX FXH GD LCVR



**ZSRS**

Zinc-coated anti-skid grating

FX FXH GD LCVR



**WR4100**

Wheel risers

FX FXH GD LCVR



**TC**

Tent cover

FX FXH GD LCVR



**CLR**

Choosing a different color

FX FXH GD LCVR


**\* additional options depend on the selected ramp model**



# LOADING PLATFORMS

ramplo

The loading platforms easily enlarges the storage area, allows convenient approach of the truck, gives more space for maneuvering of warehouse equipment, and enlarges the area for other actions with the goods before or after loading / unloading to / from the truck.



## Features of the **RAMPLO** loading platforms RL-LMP:

- load capacity - from 3 to 12 tons and more;
- total length (IC) – from 4270 to 6270 mm and more;
- total width (O) - from 2400 to 2800 mm and more;
- height level (N) – from 1100 to 1200 mm and more.





# ADDITIONAL OPTIONS

For loading platforms

**ramplo**



**HA1**

Height adjustment  
on 1 side



**HA2**

Height adjustment  
on 2 sides



**WL**

Pair of wheels



**HRO**

Hand rails  
on 1 side O



**HRI**

Hand rails  
on 1 side I



**LD**

Ladder for  
pedestrians



**LDP**

Ladder with the  
platform



**DL**

Inside dock leveller



**AB**

Additional  
connection bridge



**BR2**

Hydraulic folding  
bridge



**RF**

Roof above  
platform




**TC**

Tent cover



**ZSRS**

Zinc-coated  
anti-skid grating



**SRS**

Anti-skid grating



**ZRS**

Zinc-coated grating



**RRB**

Rubber bumpers  
rectangular



**DRBO**

Rubber bumpers  
on O side



**DRBI**

Rubber bumpers  
on I side



**WGD**

Wheel guides for  
truck



**CLR**

Choosing  
a different color

# OTHER WAREHOUSE EQUIPMENT WE PRODUCE


[ramplo](https://www.ramplo.com)




Dock levelers



Scissor lift tables  
(hydraulic scissor lift)




Mobile  
bridges




Container  
bridges



Loading bridges



Safety cages



Buckets



Snow ploughs



Lifting hooks



Carpet poles



Fork extensions

# WHY CHOOSE US

**ramplo**



- ✓ Own production capacities
- ✓ Team of experts
- ✓ Superb pre- and after- sales service
- ✓ All products are CE certified
- ✓ Use of high-quality materials
- ✓ The most popular models are always in stock
- ✓ A wide range of products
- ✓ Timely delivery
- ✓ Our product is reliable, low-maintenance and durable


## WHAT ALL THESE COMPANIES GOT AFTER RECEIVING OUR EQUIPMENT?




they made unloading and loading of any product 2-3 times faster



they have saved on labor costs and optimized logistics processes



with mobile ramp their companies also became mobile!



they have invested in equipment that will work for their business for years to come



in addition, the equipment is versatile because it is height-adjustable, i.e. suitable for all types of transport

# ramplo

## THANK YOU!

We always offer the perfect combination of low prices and high quality

